

Author Index

Angeletti, S., see Pompei, P. (47) 78 Arilla, E., see Izquierdo-Claros, R.M. (47) 99 Arilla, E., see Muñoz-Acedo, G. (47) 117 Asaba, K., see Makino, S. (47) 170

Bain, D., see Ebert, S.N. (47) 24 Bengoechea, T.G., see Ebert, S.N. (47) 24 Beyreuther, K., see Czech, C. (47) 108 Boyano-Adánez, M.C., see Izquierdo-Claros, R.M. (47) 99

Bresler, M., see Mimmack, M.L. (47) 345 Burbach, J.P.H., see Corness, J.D. (47) 11

Chao, H.M., see Salim, K.N. (47) 177
Chesselet, M.F., see Lee, S. (47) 183
Christakos, S., see Lee, S. (47) 183
Chuang, D.-M., see Xing, G. (47) 251
Ciccocioppo, R., see Pompei, P. (47) 78
Cini, D., see Marracci, S. (47) 67
Clemens, J., see Sankaran, B. (47) 237
Corness, J.D., Burbach, J.P.H. and Hökfelt, T.
The rat galanin-gene promoter: response to members of the nuclear hormone receptor family, phorbol ester and forskolin (47) 11

Czech, C., Delaère, P., Macq, A.F., Reibaud, M., Dreisler, S., Touchet, N., Schombert, B., Mazadier, M., Mercken, L., Theisen, M., Pradier, L., Octave, J.-N., Beyreuther, K. and Tremp, G.

Proteolytical processing of mutated human amyloid precursor protein in transgenic mice (47) 108

Danielsen, N., see Mulder, H. (47) 322 Davies, S.W., see Hollen, K.M. (47) 31 De Caro, G., see Pompei, P. (47) 78 Delaère, P., see Czech, C. (47) 108 Detera-Wadleigh, S., see Xing, G. (47) 251 Dreisler, S., see Czech, C. (47) 108 Dziewczapolski, G., see Salin, P. (47) 311

Ebert, S.N., Lindley, S.E., Bengoechea, T.G., Bain, D. and Wong, D.L. Adrenergic differentiation potential in PC12 cells: influence of sodium butyrate and dexamethasone (47) 24

Emson, P.C., see Mimmack, M.L. (47) 345 Evans, G., see Mimmack, M.L. (47) 345

Feldman, A.N., see Xing, G. (47) 251 Freese, E., see Kedar, V. (47) 87 Fukushima, J., see Kawamoto, S. (47) 339 Gage, F.H., see Schinstine, M. (47) 195
Garcia-Guzman, M., Stühmer, W. and Soto, F. Molecular characterization and pharmacological properties of the human P2X₃ purinoceptor (47) 59
Gershanik, O.S., see Salin, P. (47) 311
Guidotti, G., see Wang, T.-F. (47) 295
Gustavsson, L., see Izquierdo-Claros, R.M. (47)

Haley, B.E., see Sankaran, B. (47) 237
Hamajima, K., see Kawamoto, S. (47) 339
Hamel, C.P., see Soto-Prior, A. (47) 1
Handa, R.J., see Li, Y. (47) 215
Hashimoto, K., see Makino, S. (47) 170
Hattori, S., see Kawamoto, S. (47) 339
Hattori, Y., Miyake, A., Mikami, T., Ohta, M.

and Itoh, N.

Transient expression of FGF-5 mRNA in
the rat cerebellar cortex during post-natal
development (47) 262

Hattori, Y., Yamasaki, M., Konishi, M. and Itoh, N. Spatially restricted expression of fibroblast growth factor-10 mRNA in the rat brain

Healy, D.J. and Meador-Woodruff, J.H. Clozapine and haloperidol differentially affect AMPA and kainate receptor subunit mRNA levels in rat cortex and striatum (47) 331

Hebb, M.O. and Robertson, H.A.
End-capped antisense oligodeoxynucleotides effectively inhibit gene expression in
vivo and offer a low-toxicity alternative to
fully modified phosphorothioate
oligodeoxynucleotides (47) 223

Hempel, F.G., see Kedar, V. (47) 87 Herbison, A.E., see Spratt, D.P. (47) 125 Heynen, T., see Xing, G. (47) 251 Hökfelt, T., see Corness, J.D. (47) 11

Hollen, K.M., Nakabeppu, Y. and Davies, S.W. Changes in expression of ΔFosB and the Fos family proteins following NMDA receptor activation in the rat striatum (47) 31

Huang, X.-C., Shenoy, U.V., Richards, E.M. and Sumners, C. Modulation of angiotensin II type 2 receptor mRNA in rat hypothalamus and brainstem neuronal cultures by growth factors (47)

Inturrisi, C., see Quiñones-Jenab, V. (47) 134 Inturrisi, C.E., see Jenab, S. (47) 44 Itoh, N., see Hattori, Y. (47) 139
Itoh, N., see Hattori, Y. (47) 262
Izquierdo-Claros, R.M., Boyano-Adánez, M.C.,
Larsson, C., Gustavsson, L. and Arilla, E.
Acute effects of D₁- and D₂-receptor agonist and antagonist drugs on somatostatin binding, inhibition of adenylyl cyclase ac-

trisphosphate in the rat striatum (47) 99 Izquierdo-Claros, R.M., see Muñoz-Acedo, G. (47) 117

tivity and accumulation of inositol 1.4.5-

Jen, A., see Rohan de Silva, H.A. (47) 147 Jen, L.-S., see Rohan de Silva, H.A. (47) 147 Jenab, S. and Inturrisi, C.E.

Activation of protein kinase A prevents the ethanol-induced up-regulation of δ-opioid receptor mRNA in NG108-15 cells (47) 44 Jenab, S., see Quiñones-Jenab, V. (47) 134

Kajiwara, K., Sugaya, E., Yuyama, N., Nagasawa, H., Tsuda, T., Sugaya, A., Motoki, M., Shimizu-Nishikawa, K. and Kimura, M. Molecular mechanism of regulation of pentylenetetrazol-induced calcium entry by 3'untranslated region of a seizure-related cDNA, PTZ-17, in Xenopus oocytes (47) 49

Kawamoto, S., Uchino, S., Xin, K.-Q., Hattori, S., Hamajima, K., Fukushima, J., Mishina, M. and Okuda, K. Arginine-481 mutation abolishes ligandbinding of the AMPA-selective glutamate receptor channel α₁-subunit (47) 339

Kedar, V., Freese, E. and Hempel, F.G.
Regulatory sequences for the transcription of the laminin B2 gene in astrocytes (47) 87
Keverne, E.B., see Mimmack, M.L. (47) 345
Kim, Y.-H., see Won, J.-S. (47) 303
Kimura, M., see Kajiwara, K. (47) 49
Konishi, M., see Hattori, Y. (47) 139

Larsson, C., see Izquierdo-Claros, R.M. (47) 99 Lavigne-Rebillard, M., see Soto-Prior, A. (47)

Lee, S., Williamson, J., Lothman, E.W., Szele, F.G., Chesselet, M.F., Von Hagen, S., Sapolsky, R.M., Mattson, M.P. and Christakos, S.
Early induction of mRNA for calbindin-D_{28k}

and BDNF but not NT-3 in rat hippocampus after kainic acid treatment (47) 183

Lenoir, M., see Soto-Prior, A. (47) 1

Levitt, P., see Zhang, J.-H. (47) 202 Li, X.-L., see Xing, G. (47) 251

Li, Y., McGivern, R.F., Nagahara, A.H. and Handa, R.J.

Alterations in the estrogen sensitivity of hypothalamic proenkephalin mRNA expression with age and prenatal exposure to alcohol (47) 215

Lindley, S.E., see Ebert, S.N. (47) 24 Lothman, E.W., see Lee, S. (47) 183 Lu, L. and Ordway, G.A.

Reduced expression of α_{2C} -adrenoceptors in rat striatum following antisense oligodeoxynucleotide infusion (47) 267

Macq, A.F., see Czech, C. (47) 108 Makino, S., Takemura, T., Asaba, K., Nishiyama, M., Takao, T. and Hashimoto,

Differential regulation of type-1 and type-2 α corticotropin-releasing hormone receptor mRNA in the hypothalamic paraventricular nucleus of the rat (47) 170

Marracci, S., Cini, D. and Nardi, I. Cloning and developmental expression of 5-HT_{1A} receptor gene in Xenopus laevis (47) 67

Masos, T. and Miskin, R. mRNAs encoding urokinase-type plasminogen activator and plasminogen activator inhibitor-1 are elevated in the mouse brain following kainate-mediated excitation (47)

Massi, M., see Pompei, P. (47) 78 Mattson, M.P., see Lee, S. (47) 183 Mazadier, M., see Czech, C. (47) 108 McEwen, B.S., see Salim, K.N. (47) 177 McGivern, R.F., see Li, Y. (47) 215 Meador-Woodruff, J.H., see Healy, D.J. (47)

Mercken, L., see Czech, C. (47) 108

Mikami, T., see Hattori, Y. (47) 262 Mimmack, M.L., Saito, H., Evans, G., Bresler, M., Keverne, E.B. and Emson, P.C. A novel splice variant of the cell adhesion molecule BIG-2 is expressed in the olfactory and vomeronasal neuroepithelia (47) 345

Mishina, M., see Kawamoto, S. (47) 339 Miskin, R., see Masos, T. (47) 157 Miyake, A., see Hattori, Y. (47) 262

Motoki, M., see Kajiwara, K. (47) 49

Mulder, H., Zhang, Y., Danielsen, N. and Sundler, F.

Islet amyloid polypeptide and calcitonin gene-related peptide expression are downregulated in dorsal root ganglia upon sciatic nerve transection (47) 322

Muñoz-Acedo, G., Izquierdo-Claros, R.M., Puebla, L., Rodríguez-Martín, E. and Arilla,

Influence of fluoxetine and p-chloroamphetamine on the somatostatin receptoradenylyl cyclase system in the rat frontoparietal cortex (47) 117

Nagahara, A.H., see Li, Y. (47) 215 Nagasawa, H., see Kajiwara, K. (47) 49 Nakabeppu, Y., see Hollen, K.M. (47) 31 Nardi, I., see Marracci, S. (47) 67

Nieoullon, A., see Salin, P. (47) 311 Nishiyama, M., see Makino, S. (47) 170

Octave, J.-N., see Czech, C. (47) 108 Ogawa, S., see Quiñones-Jenab, V. (47) 134 Ohta, M., see Hattori, Y. (47) 262 Okuda, K., see Kawamoto, S. (47) 339 Ordway, G.A., see Lu, L. (47) 267

Patel, A.J., see Rohan de Silva, H.A. (47) 147 Pfaff, D.W., see Quiñones-Jenab, V. (47) 134 Pimenta, A.F., see Zhang, J.-H. (47) 202 Polidori, C., see Pompei, P. (47) 78 Pompei, P., Angeletti, S., Polidori, C., Ciccocioppo, R., De Caro, G. and Massi, M. Regulation of preprotachykinin-A mRNA in

genetic hypertensive and normotensive rats

Post, R.M., see Xing, G. (47) 251 Pradier, L., see Czech, C. (47) 108 Puebla, L., see Muñoz-Acedo, G. (47) 117 Pujol, R., see Soto-Prior, A. (47) 1

Quiñones-Jenab, V., Jenab, S., Ogawa, S., Inturrisi, C. and Pfaff, D.W. Estrogen regulation of μ -opioid receptor mRNA in the forebrain of female rats (47)

Raisman-Vozari, R., see Salin, P. (47) 311 Ray, J., see Schinstine, M. (47) 195 Rebillard, G., see Soto-Prior, A. (47) 1 Rehn, L., see Seifert, G. (47) 286 Reibaud, M., see Czech, C. (47) 108 Richards, E.M., see Huang, X.-C. (47) 229 Ripoll, C., see Soto-Prior, A. (47) 1 Robertson, H.A., see Hebb, M.O. (47) 223 Rodríguez-Martín, E., see Muñoz-Acedo, G.

Rohan de Silva, H.A., Jen, A., Wickenden, C., Jen, L.-S., Wilkinson, S.L. and Patel, A.J. Cell-specific expression of β -amyloid precursor protein isoform mRNAs and proteins in neurons and astrocytes (47) 147

Rosenberg, P.A., see Wang, T.-F. (47) 295

Saito, H., see Mimmack, M.L. (47) 345 Salim, K.N., McEwen, B.S. and Chao, H.M. Ginsenoside Rb1 regulates ChAT, NGF and trkA mRNA expression in the rat brain (47) 177

Salin, P., Dziewczapolski, G., Gershanik, O.S., Nieoullon, A. and Raisman-Vozari, R. Differential regional effects of long-term L-DOPA treatment on preproenkephalin and preprotachykinin gene expression in the striatum of 6-hydroxydopamine-lesioned rat

Sankaran, B., Clemens, J. and Haley, B.E. A comparison of changes in nucleotideprotein interactions in the striatal, hippocampus and paramedian cortex after cerebral ischemia and reperfusion: correlations to regional vulnerability (47) 237

Sapolsky, R.M., see Lee, S. (47) 183 Schinstine, M., Ray, J. and Gage, F.H. Potential effect of cytokines on transgene expression in primary fibroblasts implanted into the rat brain (47) 195 Schombert, B., see Czech, C. (47) 108

Seifert, G., Rehn, L., Weber, M. and Steinhäuser, C. AMPA receptor subunits expressed by single astrocytes in the juvenile mouse hippocampus (47) 286

Shearman, L.P. and Weaver, D.R. Haloperidol regulates neurotensin gene expression in striatum of c-fos-deficient mice

Shenoy, U.V., see Huang, X.-C. (47) 229 Shimizu-Nishikawa, K., see Kajiwara, K. (47)

Smith, M.A., see Xing, G. (47) 251 Song, D.-K., see Won, J.-S. (47) 303 Soto, F., see Garcia-Guzman, M. (47) 59 Soto-Prior, A., Lavigne-Rebillard, M., Lenoir, M., Ripoll, C., Rebillard, G., Vago, P., Pujol, R. and Hamel, C.P. Identification of preferentially expressed

cochlear genes by systematic sequencing of a rat cochlea cDNA library (47) 1 Spratt, D.P. and Herbison, A.E.

Regulation of preoptic area gonadotrophinreleasing hormone (GnRH) mRNA expression by gonadal steroids in the long-term gonadectomized male rat (47) 125

Steinhäuser, C., see Seifert, G. (47) 286 Stühmer, W., see Garcia-Guzman, M. (47) 59 Sugaya, A., see Kajiwara, K. (47) 49 Sugaya, E., see Kajiwara, K. (47) 49 Suh, H.-W., see Won, J.-S. (47) 303 Sumners, C., see Huang, X.-C. (47) 229 Sundler, F., see Mulder, H. (47) 322

Takao, T., see Makino, S. (47) 170 Takemura, T., see Makino, S. (47) 170 Theisen, M., see Czech, C. (47) 108 Touchet, N., see Czech, C. (47) 108 Tremp, G., see Czech, C. (47) 108 Tsuda, T., see Kajiwara, K. (47) 49

Szele, F.G., see Lee, S. (47) 183

Uchino, S., see Kawamoto, S. (47) 339

Vago, P., see Soto-Prior, A. (47) 1 Von Hagen, S., see Lee, S. (47) 183

Wang, T.-F., Rosenberg, P.A. and Guidotti, G. Characterization of brain ecto-apyrase: evidence for only one ecto-apyrase (CD39) gene (47) 295

Weaver, D.R., see Shearman, L.P. (47) 275 Weber, M., see Seifert, G. (47) 286 Weiss, S.R.B., see Xing, G. (47) 251 Wickenden, C., see Rohan de Silva, H.A. (47) 147

Wilkinson, S.L., see Rohan de Silva, H.A. (47) 147

Williamson, J., see Lee, S. (47) 183 Won, J.-S., Kim, Y.-H., Song, D.-K. and Suh, H.-W.

The effect of cycloheximide on the regulation of proenkephalin and prodynorphin gene expressions induced by kainic acid in rat hippocampus (47) 303

Wong, D.L., see Ebert, S.N. (47) 24

Xin, K.-Q., see Kawamoto, S. (47) 339 Xing, G., Zhang, L., Zhang, L., Heynen, T., Li, X.-L., Smith, M.A., Weiss, S.R.B., Feldman, A.N., Detera-Wadleigh, S., Chuang, D.-M. and Post, R.M.

Rat nurr1 is prominently expressed in perirhinal cortex, and differentially induced in the hippocampal dentate gyrus by electroconvulsive vs. kindled seizures (47) 251

Yamasaki, M., see Hattori, Y. (47) 139 Yuyama, N., see Kajiwara, K. (47) 49

Zhang, J.-H., Pimenta, A.F., Levitt, P. and Zhou, R.

Dynamic expression suggests multiple roles of the eph family receptor brain-specific

kinase (Bsk) during mouse neurogenesis (47) 202

Zhang, L., see Xing, G. (47) 251

Zhang, L., see Xing, G. (47) 251 Zhang, Y., see Mulder, H. (47) 322

Zhou, R., see Zhang, J.-H. (47) 202